

CLAIMS

1. A golf club head comprising:  
a golf club head having a housing forming a cavity; and  
a port formed through the housing to allow placement of  
5 material to adjust the center of gravity of the golf  
club head.
2. The golf club head of Claim 1, further comprising  
a cover for closing the port.
3. The golf club head of Claim 2, further comprising  
10 a vibration-dampening material interposed between the cover  
and the port formed through the housing.
4. The golf club head of Claim 1, wherein the port is  
located on the sole of the housing.
5. The golf club head of Claim 1, wherein the  
15 weighting port is located on the crown of the housing.
6. The golf club head of Claim 1, wherein the port is  
located on the wall of the housing.
7. The golf club head of Claim 1, wherein the housing  
forms at least a portion of a head of a golf wood.
- 20 8. The golf club head of Claim 1, wherein the housing  
forms at least a portion of a head of a golf iron.
9. The golf club head of Claim 1, wherein the housing  
forms at least a portion of a head of a golf putter.

10. A golf club head having an adjustable center of gravity, comprising:

- a body portion forming an interior cavity having an internal surface;
- 5 a weighting port providing access to the interior cavity; and
- a removable weighting port cover for selectively covering and uncovering the weighting port.

11. The golf club head of Claim 10, further comprising  
10 a vibration-dampener interposed between the weighting port cover and the body to reduce vibration of the weighting port cover.

12. The golf club head of Claim 10, further comprising a vibration dampener secured to the weighting port closure.

13. The golf club head of Claim 10, wherein the  
15 weighting port is located on the sole of the golf club head.

14. The golf club head of Claim 10, wherein the weighting port is located on the crown of the golf club head.

15. The golf club head of Claim 10, wherein the  
20 weighting port is located on the wall of the golf club head.

16. The golf club head of Claim 10, wherein the golf club head forms at least a portion of a golf wood.

17. The golf club head of Claim 10, wherein the golf  
25 club head forms at least a portion of a golf iron.

18. The golf club head of Claim 10, wherein the golf club head forms at least a portion of a golf putter.

19. A golf club head with an adjustable center of gravity, comprising:

- a golf club head housing having a cavity defining an internal wall;
- 5 a port allowing placement into the cavity of weighting material at one or more positions along the internal wall of the cavity to adjust the center of gravity; and
- 10 a port closure for covering the cavity following placement of weighting material within the cavity.

20. The golf club head of Claim 19, further comprising at least one strip of lead tape placed on the internal wall of the cavity at a position other than the center of gravity of the golf club head.

- 15 21. The golf club head of Claim 19, wherein the port closure fits substantially flush with the external surface of the golf club head surrounding the port.

- 20 22. The golf club head of Claim 19, further comprising a dampener for reducing vibration of the port closure when the closure covers the port.

23. The golf club head of Claim 22, wherein the dampener comprises vibration dampening material compressed between at least a portion of the housing and the port closure.

- 25 24. The golf club head of Claim 22, wherein the dampener is in contact with the port closure.